

Home Garden Fertilisers

MULTIPURPOSE FERTILISER

MULTIPURPOSE has been formulated to provide a balanced range of nutrients and is suitable for flowers, ornamentals, vegetables, fruit and turf.

Recommendations:

Paton Fertilizers recommend the use of soil and leaf analysis wherever possible. The following rates are a guide only and a more accurate recommendation can be made in the light of the above analysis results.

Vegetables

Root Crops eg. Potatoes, Carrots: Apply 50 g/m² at planting. Work well into the soil. Side dress with 30 g/m² Caltram K midway through the growing cycle.

Other Crops eg. Beans, Tomatoes: Apply 60 g/m² at planting. Work well into the soil. Side dress with 30 g/m² of Caltram K twice during growing period.

Fruit

Apply evenly to the drip zone. Avoid fertiliser contact with the trunk of the tree.

Citrus:

Young trees - 150g/tree (per year of age) up to 800 g/tree max. Apply during Spring and Autumn growth flushes. Mature trees - 800g to 1.8kg/tree. Apply in June/July and repeat in early December/January.

Apples and Pears:

Young trees - 100g/tree (per year of age) up to 600g/tree max. Mature trees - 600g up to 1.5kg/tree. Apply post harvest in March/April.

Grapes:

200g/vine. Apply August/September depending on leaf petiole analysis.

Strawberries:

100g/metre of row. Work well into soil prior to planting. Side dress with Caltram K at 20g/metre of row prior to flowering.

Lawns: Prior to sowing - 50g/m² worked well into the top 5cm. Topdressing - Apply 20g/m² of NO 17 PLUS LAWN FOOD every 8 weeks. Apply an annual application of MULTIPURPOSE NO 20 at 30g/m².

FEATURES & BENEFITS

Balanced NPK with 2:1 N:K ratio.

Generally applicable for wide range of crop uses.

Granular composition.

Dust-free and ease of spreading.

PRODUCT ANALYSIS

Nitrogen (N) as ammonium 10.5 %

Phosphorus as water soluble 3.0 %

Phosphorus as citrate soluble 0.3 %

Phosphorus as citrate insoluble 0.2 %

Phosphorus (P) Total 3.5 %

Potassium (K) as muriate 5.6 %

Sulphur (S) as sulphate 12.4 %

Calcium (Ca) as superphosphate 4.1 %

WARNING: "Use of this product may lead to an accumulation of cadmium and Mercury in the soil and depending on soil characteristics, irrigation water quality, crop and variety may interact to result in crop intake in excess of the maximum limits allowed by food standards. In pastures this uptake may result in offtal exceeding the maximum limits". Total Cadmium less than 223 mg/kg of P.

Flowers and Ornamentals:

At planting (trees) - 50g worked into the soil within and around the planting hole.

Side dressing (trees) - 100g/5cm of trunk diameter measured at ground level. Spread application under the drip zone, but not in contact with trunk. Apply in August/September. For vigorous growth also apply in February/March.

Annuals: 50g/m² worked well into the soil.

Camellias: 50g/m² under the drip zone but away from the trunk.

Roses: At planting - 50g/rose. Work well into the soil prior to planting. Side dressing - 50g/rose in August/September. Spread under the drip zone but away from trunk.

Bulbs: 50g/m². Work well into the soil prior to planting.

Application Hints:

If hand broadcasting, mixing the fertilizer with a carrier such as sand or soil before spreading can achieve a more even result. Alternatively apply less fertilizer but go over the area twice in different directions (one at a right angle to the other).

Important Things to Remember:

- Always water fertilizer in well, immediately after application. Watering should involve a thorough saturation of the area.
- Avoid direct contact with plant roots, seeds, etc. Even, light and regular applications of a quality product will achieve the best results. Do not do the recommended application rates as this can be harmful to plants.



Contact Paton Fertilizers 02 4729 2888 or visit www.paton.com.au